

Met Rabbit pAb Catalog NO.: EA318 For research use only.

Overview

Product name Met Rabbit polyclonal antibody

Source Rabbit

Applications WB, IHC

Species reactivity Human, Rat, Mouse

Recommended dilutions WesternBlot:1/1000-2000

Immunohistochemistry:1/200-500

NOTE: Optimal dilutions should be determined by the end user.

Immunogen Recombinant Protein

Species Human

Storage PBS with 0.02% sodium azide and 50% glycerol pH 7.4.

Store at -20° C. Avoid repeated freeze-thaw cycles.

Isotype IgG

Clonality Polyclonal

Concentration 1 mg/ml

Observed band 130170kDa

GenelD (Human) 4233

Human Swiss-Prot No. P08581


Cellular localization Membrane

Alternative Names HGF, c-Met, tyrosine-protein kinase, oncogene met

Background Met, a high affinity tyrosine kinase receptor for hepatocyte growth factor

(HGF, also known as scatter factor) is a disulfide-linked heterodimer made

of 45 kDa $\,^{\alpha}$ - and 145 kDa $\,^{\beta}$ -subunits.



Immunohistochemical analysis of paraffin-embedded Human Lung Carcinoma Tissue using Met (EA318) Rabbit pAb diluted at 1:500.

Immunohistochemical analysis of paraffin-embedded Human Stomach Carcinoma Tissue using Met (EA318) Rabbit pAb diluted at 1:500.

Immunohistochemical analysis of paraffin-embedded Human Liver Carcinoma Tissue using Met (EA318) Rabbit pAb diluted at 1:500.