

## Cleaved-C1s HC (R437) rabbit pAb

Cat No.:ES1014

For research use only

## Overview

Product Name Cleaved-C1s HC (R437) rabbit pAb

Host species Rabbit
Applications WB;ELISA

**Species Cross-Reactivity** Human;Rat;Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not

yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human C1S. AA range:388-437

**Specificity** Cleaved-C1s HC (R437) Polyclonal Antibody detects

endogenous levels of fragment of activated C1s HC protein resulting from cleavage adjacent to R437.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Complement C1s subcomponent

Gene Name C1S

**Cellular localization** extracellular region, extracellular exosome, blood

microparticle,

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 47+76kD
Human Gene ID 716
Human Swiss-Prot Number P09871

Alternative Names C1S; Complement C1s subcomponent; C1 esterase;

Complement component 1 subcomponent s


**Background** This gene encodes a serine protease, which is a

major constituent of the human complement subcomponent C1. C1s associates with two other complement components C1r and C1q in order to yield the first component of the serum complement



system. Defects in this gene are the cause of selective C1s deficiency. [provided by RefSeq, Mar 2009],

Western Blot analysis of various cells using Cleaved-C1s HC (R437) Polyclonal Antibody



Western blot analysis of lysates from 293 and HeLa cells, treated with etoposide 25uM 1h, using C1S (heavy chain,Cleaved-Arg437) Antibody. The lane on the right is blocked with the synthesized peptide.

