

## PK3CB rabbit pAb

Cat No.: ES10787

For research use only

## Overview

**Product Name** PK3CB rabbit pAb

**Host species** Rabbit WB;ELISA **Applications** 

Human; Mouse; Rat **Species Cross-Reactivity** 

**Recommended dilutions** WB 1:500-2000 ELISA 1:5000-20000

**Immunogen** Synthesized peptide derived from part region of

human protein

Specificity PK3CB Polyclonal Antibody detects endogenous

levels of protein.

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at  $-20^{\circ}$ C. Avoid repeated freeze-thaw cycles. **Storage** Phosphatidylinositol 4,5-bisphosphate 3-kinase **Protein Name** 

catalytic subunit beta isoform (PI3-kinase subunit beta) (PI3K-beta) (PI3Kbeta) (PtdIns-3-kinase subunit beta) (EC 2.7.1.153) (Phosphatidylinositol 4,5-b

PIK3CB PIK3C1

**Gene Name** Cellular localization Cytoplasm . Nucleus . Interaction with PIK3R2 is

required for nuclear localization and export.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml **Observed band** 117kD **Human Gene ID** 5291 **Human Swiss-Prot Number** P42338

**Alternative Names** 

Background This gene encodes an isoform of the catalytic

subunit of phosphoinositide 3-kinase (PI3K). These

kinases are important in signaling pathways involving receptors on the outer membrane of eukaryotic cells and are named for their catalytic



+86-27-59760950 ELKbio@ELKbiotech.com



subunit. The encoded protein is the catalytic subunit for PI3Kbeta (PI3KB). PI3KB has been shown to be part of the activation pathway in neutrophils which have bound immune complexes at sites of injury or infection. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2011],



+86-27-59760950