

TPP1 rabbit pAb

Cat No.: ES11280

For research use only

Overview

Product Name TPP1 rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human;Rat;Mouse

Recommended dilutions WB 1:500-2000 ELISA 1:5000-20000

Immunogen Synthesized peptide derived from human protein . at

AA range: 10-90

Specificity TPP1 Polyclonal Antibody detects endogenous levels

of protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20° C. Avoid repeated freeze-thaw cycles. Protein Name Tripeptidyl-peptidase 1 (TPP-1) (EC 3.4.14.9) (Cell

growth-inhibiting gene 1 protein) (Lysosomal pepstatin-insensitive protease) (LPIC) (Tripeptidyl aminopeptidase) (Tripeptidyl-peptidase I) (TPP-I)

Gene Name TPP1 CLN2 GIG1 UNQ267/PRO304

Cellular localization Lysosome . Melanosome . Identified by mass

spectrometry in melanosome fractions from stage I

to stage IV..

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 61kD
Human Gene ID 1200
Human Swiss-Prot Number O14773

Alternative Names

Background This gene encodes a member of the sedolisin family

of serine proteases. The protease functions in the lysosome to cleave N-terminal tripeptides from substrates, and has weaker endopeptidase activity. It





is synthesized as a catalytically-inactive enzyme which is activated and auto-proteolyzed upon acidification. Mutations in this gene result in late-infantile neuronal ceroid lipofuscinosis, which is associated with the failure to degrade specific neuropeptides and a subunit of ATP synthase in the lysosome. [provided by RefSeq, Jul 2008],



+86-27-59760950