

UBA3 rabbit pAb

Cat No.: ES12458

For research use only

Overview

Product Name UBA3 rabbit pAb

Host species Rabbit
Applications WB

Species Cross-Reactivity Human; Mouse; Rat Recommended dilutions WB 1: 500-2000

Immunogen Synthesized peptide derived from human UBA3 AA

range: 105-155

Specificity This antibody detects endogenous levels of UBA3 at

Human/Mouse/Rat

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name UBA3

Gene Name UBA3 UBE1C Cellular localization nucleus, cytosol,

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml

Observed band

Human Gene ID 9039 Human Swiss-Prot Number Q8TBC4

Alternative Names

Background The modification of proteins with ubiquitin is an

important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and

ubiquitin-protein ligases, or E3s. This gene encodes a member of the E1 ubiquitin-activating enzyme family. The encoded enzyme associates with



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



1 kDa 180 -- 140 -- 100 -- 75 -- 60 -- 45 -- 25 -- 15 -- 10 -- AppBp1, an amyloid beta precursor protein binding protein, to form a heterodimer, and then the enzyme complex activates NEDD8, a ubiquitin-like protein, which regulates cell division, signaling and embryogenesis. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by RefSeq, Jul 2008],

Western blot analysis of lysates from A431 cells, primary antibody was diluted at 1:1000, 4° over night

