



TRAIP rabbit pAb

Cat No.:ES12594

For research use only

Overview


Product Name	TRAIP rabbit pAb
Host species	Rabbit
Applications	WB
Species Cross-Reactivity	Human; Mouse
Recommended dilutions	WB 1: 500-2000
Immunogen	Synthesized peptide derived from human TRAIP AA range: 399-449
Specificity	This antibody detects endogenous levels of TRAIP at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	TRAIP
Gene Name	TRAIP RNF206 TRIP
Cellular localization	Nucleus, nucleoplasm . Nucleus, nucleolus . Chromosome . Cytoplasm. Cytoplasm, perinuclear region . In the nucleus, found in close proximity to PCNA, suggesting localization at replication foci (PubMed:26595769). Localizes to DNA damage sites in response
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	
Human Gene ID	10293
Human Swiss-Prot Number	Q9BWF2
Alternative Names	
Background	This gene encodes a protein that contains an N-terminal RING finger motif and a putative coiled-coil domain. A similar murine protein interacts with TNFR-associated factor 1 (TRAF1),





ELK Biotechnology

TNFR-associated factor 2 (TRAF2), and cylindromatosis. The interaction with TRAF2 inhibits TRAF2-mediated nuclear factor kappa-B, subunit 1 activation that is required for cell activation and protection against apoptosis. [provided by RefSeq, Jul 2008],



Western blot analysis of lysates from VEC cells, primary antibody was diluted at 1:1000, 4° over night



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei, P.R.C