

PO2F3 rabbit pAb

Cat No.: ES14042

For research use only

Overview

Product Name PO2F3 rabbit pAb

Host species Rabbit
Applications WB;IHC

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions WB 1:500-2000;IHC-p 1:50-300

Immunogen Synthesized peptide derived from human PO2F3 AA

range: 240-290

Specificity This antibody detects endogenous levels of PO2F3

at Human/Mouse/Rat

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name PO2F3

Gene Name POU2F3 OTF11 PLA1

Cellular localization Nucleus.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml

Observed band

Human Gene ID 25833 Human Swiss-Prot Number Q9UKI9

Alternative Names

Background This gene encodes a member of the POU domain

family of transcription factors. POU domain

transcription factors bind to a specific octamer DNA motif and regulate cell type-specific differentiation

pathways. The encoded protein is primarily

expressed in the epidermis, and plays a critical role in keratinocyte proliferation and differentiation. The

encoded protein is also a candidate tumor suppressor protein, and aberrant promoter





1 kDa
180 -140 -100 -75 -60 -45 -25 -15 --

10 --

methylation of this gene may play a role in cervical cancer. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Sep 2011],

Western blot analysis of lysates from VEC cells, primary antibody was diluted at 1:1000, 4° over night



+86-27-59760950

Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

