

GSTK1 rabbit pAb

Cat No.:ES15873

For research use only

Overview

| GSTK1 rabbit pAb |
|---|
| Rabbit |
| WB |
| Human; Mouse;Rat |
| WB 1: 500-2000 |
| Synthesized peptide derived from human GSTK1 AA range: 138-188 |
| This antibody detects endogenous levels of GSTK1 at Human/Mouse/Rat |
| Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Store at -20°C. Avoid repeated freeze-thaw cycles. |
| GSTK1 |
| GSTK1 HDCMD47P |
| Peroxisome . |
| The antibody was affinity-purified from rabbit |
| antiserum by affinity-chromatography using |
| epitope-specific immunogen. |
| Polyclonal |
| 1 mg/ml |
| |
| 373156 |
| Q9Y2Q3 |
| |
| This gene encodes a member of the kappa class of the glutathione transferase superfamily of enzymes that function in cellular detoxification. The encoded protein is localized to the peroxisome and catalyzes the conjugation of glutathione to a wide range of hydrophobic substates facilitating the removal of these compounds from cells. Alternative splicing results in multiple transcript variants.[provided by RefSeq, Jan 2009], |
| |




+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C





Western blot analysis of lysates from 293T cells, primary antibody was diluted at 1:1000, 4° over night



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C