

## PLM rabbit pAb

## Cat No.:ES19203

For research use only

## Overview

PLM rabbit pAb	
Rabbit	
WB	
Human;Mouse;Rat	
WB 1:1000-2000	
Synthesized peptide derived from human PLM AA	
range: 15-65	
This antibody detects endogenous levels of human	
PLM	
Liquid in PBS containing 50% glycerol, 0.5% BSA and	
0.02% sodium azide.	
Store at -20 $^\circ\!\mathrm{C}$ . Avoid repeated freeze-thaw cycles.	
Phospholemman (FXYD domain-containing ion	
transport regulator 1)	
FXYD1 PLM	
Cell membrane, sarcolemma ; Single-pass type I	
membrane protein . Apical cell membrane ;	
Single-pass type I membrane protein . Membrane,	
caveola . Cell membrane, sarcolemma, T-tubule .	
Detected in the apical cell membrane in brain. In	
myocytes, localizes to sarcolemma, t-tubules and	
intercalated disks	
The antibody was affinity-purified from rabbit	
antiserum by affinity-chromatography using	
epitope-specific immunogen.	
Polyclonal	
1 mg/ml	
5348	
O00168	
	Rabbit WB Human;Mouse;Rat WB 1:1000-2000 Synthesized peptide derived from human PLM AA range: 15-65 This antibody detects endogenous levels of human PLM Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Store at -20°C. Avoid repeated freeze-thaw cycles. Phospholemman (FXYD domain-containing ion transport regulator 1) FXYD1 PLM Cell membrane, sarcolemma ; Single-pass type I membrane protein . Apical cell membrane ; Single-pass type I membrane protein . Membrane, caveola . Cell membrane, sarcolemma, T-tubule . Detected in the apical cell membrane in brain. In myocytes, localizes to sarcolemma, t-tubules and intercalated disks The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Polyclonal 1 mg/ml



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C