



NINL rabbit pAb

Cat No.:ES19352

For research use only

Overview

| | |
|--------------------------|---|
| Product Name | NINL rabbit pAb |
| Host species | Rabbit |
| Applications | WB |
| Species Cross-Reactivity | Human;Mouse |
| Recommended dilutions | WB 1:1000-2000 |
| Immunogen | Synthesized peptide derived from human NINL AA range: 1098-1148 |
| Specificity | This antibody detects endogenous levels of human NINL |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Storage | Store at -20°C . Avoid repeated freeze-thaw cycles. |
| Protein Name | Ninein-like protein |
| Gene Name | NINL KIAA0980 NLP |
| Cellular localization | Cytoplasm, cytoskeleton, microtubule organizing center, centrosome . Cytoplasm . In interphase cells, NINL is transported to the centrosomes by the dynein-dynactin motor complex (PubMed:16254247). During centrosome maturation, PLK1 directly phosphorylates NINL resulting in its release into the cytoplasm (PubMed:16254247). |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Clonality | Polyclonal |
| Concentration | 1 mg/ml |
| Observed band | |
| Human Gene ID | 22981 |
| Human Swiss-Prot Number | Q9Y2I6 |
| Alternative Names | |
| Background | |

