

PEPC rabbit pAb

Cat No.: ES20649

For research use only

Overview

Product Name PEPC rabbit pAb

Host species Rabbit WB **Applications Species Cross-Reactivity Plants**

Recommended dilutions WB: 1:2000-5000

Immunogen Synthetic Peptide of PEPC

Specificity The antibody detects endogenous PEPC protein. **Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20°C. Avoid repeated freeze-thaw cycles. **Storage**

Protein Name Gastricsin **Gene Name** PGC

Cellular localization extracellular space, extracellular exosome, Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal

Concentration

Observed band 105-109kD

Human Gene ID

Human Swiss-Prot Number

Alternative Names

Background

PGC; Gastricsin; Pepsinogen C

This gene encodes an aspartic proteinase that belongs to the peptidase family A1. The encoded protein is a digestive enzyme that is produced in the stomach and constitutes a major component of the gastric mucosa. This protein is also secreted into the serum. This protein is synthesized as an inactive zymogen that includes a highly basic prosegment. This enzyme is converted into its active mature form at low pH by sequential cleavage of the prosegment

that is carried out by the enzyme itself.

Polymorphisms in this gene are associated with




+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com



susceptibility to gastric cancers. Serum levels of this enzyme are used as a biomarker for certain gastric diseases including Helicobacter pylori related gastritis. Alternate splicing results in multiple transcript variants. A pseudogene of this gene is found on chromosome 1. [provided by RefSeq, Oct 2009],



+86-27-59760950

Western blot analysis of Maize, diluted at 1:4000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

