

MCT4 rabbit pAb

Cat No.: ES2761

For research use only

Overview

Product Name MCT4 rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not

yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human MOT4. AA

range:233-282

Specificity MCT4 Polyclonal Antibody detects endogenous

levels of MCT4 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Monocarboxylate transporter 4

Gene Name SLC16A3

Cellular localizationCell membrane; Multi-pass membrane protein.PurificationThe antibody was affinity-purified from rabbit
antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 49kD
Human Gene ID 9123
Human Swiss-Prot Number O15427

Alternative Names SLC16A3; MCT4; Monocarboxylate transporter 4;

MCT 4; Solute carrier family 16 member 3

Background Lactic acid and pyruvate transport across plasma

membranes is catalyzed by members of the

proton-linked monocarboxylate transporter (MCT) family, which has been designated solute carrier family-16. Each MCT appears to have slightly different substrate and inhibitor specificities and

www.elkbiotech.com




+86-27-59760950 ELKbio@ELKbiotech.com




transport kinetics, which are related to the metabolic requirements of the tissues in which it is found. The MCTs, which include MCT1 (SLC16A1; MIM 600682) and MCT2 (SLC16A7; MIM 603654), are characterized by 12 predicted transmembrane domains (Price et al., 1998 [PubMed 9425115]).[supplied by OMIM, Mar 2008],

Western Blot analysis of various cells using MCT4 Polyclonal Antibody diluted at 1:500



Western Blot analysis of PC-3 cells using MCT4 Polyclonal Antibody diluted at 1:500



Western blot analysis of lysates from LOVO cells, using MOT4 Antibody. The lane on the right is blocked with the synthesized peptide.

