

## Radixin rabbit pAb

**Cat No.:ES3310** 

For research use only

## Overview

Product Name Radixin rabbit pAb

Host species Rabbit

Applications WB;ELISA;IHC Species Cross-Reactivity Human;Mouse;Rat

**Recommended dilutions** WB 1:500-2000;IHC-p 1:50-300; ELISA 2000-20000 **Immunogen** The antiserum was produced against synthesized

peptide derived from human RDX. AA range:142-191

**Specificity** Radixin Polyclonal Antibody detects endogenous

levels of Radixin protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Radixin
Gene Name RDX

**Cellular localization** Cell membrane; Peripheral membrane protein;

Cytoplasmic side. Cytoplasm, cytoskeleton. Cleavage

furrow. Cell projection, microvillus. Highly

concentrated in the undercoat of the cell-to-cell adherens junction and the cleavage furrow in the

interphase and mitotic phase, respectively.

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 69kD
Human Gene ID 5962
Human Swiss-Prot Number P35241
Alternative Names RDX; Radixin

**Background** Radixin is a cytoskeletal protein that may be


important in linking actin to the plasma membrane. It is highly similar in sequence to both ezrin and moesin. The radixin gene has been localized by






fluorescence in situ hybridization to 11q23. A truncated version representing a pseudogene (RDXP2) was assigned to Xp21.3. Another pseudogene that seemed to lack introns (RDXP1) was mapped to 11p by Southern and PCR analyses. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2012],


Western Blot analysis of various cells using Radixin Polyclonal Antibody diluted at 1:2000



Western Blot analysis of HuvEc cells using Radixin Polyclonal Antibody diluted at 1:2000



Western blot analysis of lysates from HUVEC cells, using RDX Antibody. The lane on the right is blocked with the synthesized peptide.




+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com







Western blot analysis of the lysates from HT-29 cells using RDX antibody.  $\label{eq:RDX} % \begin{subarray}{ll} \end{subarray} \begin{su$ 

