

TCP-1 ζ rabbit pAb

Cat No.: ES3575

For research use only

Overview

Product Name TCP-1 ζ rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human CCT6A. AA

range:171-220

Specificity TCP-1 ζ Polyclonal Antibody detects endogenous

levels of TCP-1 ζ protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name T-complex protein 1 subunit zeta

Gene Name CCT6A Cytoplasm .

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 60kD
Human Gene ID 908
Human Swiss-Prot Number P40227

Alternative Names CCT6A; CCT2; T-complex protein 1 subunit

zeta; TCP-1-zeta; Acute morphine

dependence-related protein 2; CCT-zeta-1; HTR3;

Tcp20

Background The protein encoded by this gene is a molecular

chaperone that is a member of the chaperonin containing TCP1 complex (CCT), also known as the




+86-27-59760950 ELKbio@ELKbiotech.com www.elkbiotech.com




TCP1 ring complex (TRiC). This complex consists of two identical stacked rings, each containing eight different proteins. Unfolded polypeptides enter the central cavity of the complex and are folded in an ATP-dependent manner. The complex folds various proteins, including actin and tubulin. Alternate transcriptional splice variants of this gene, encoding different isoforms, have been characterized. In addition, several pseudogenes of this gene have been located. [provided by RefSeq, Jun 2010],

Western Blot analysis of various cells using TCP-1 ζ Polyclonal Antibody diluted at 1:500




Western blot analysis of CCT6A Antibody. The lane on the right is blocked with the CCT6A peptide.



+86-27-59760950







Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using CCT6A Antibody. The picture on the right is blocked with the synthesized peptide.



+86-27-59760950