

## Fractalkine Receptor rabbit pAb

**Cat No.:ES3842** 

For research use only

## Overview

Product Name Fractalkine Receptor rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

**Recommended dilutions** Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300

ELISA: 1/20000. Not yet tested in other applications.

**Immunogen** Synthesized peptide derived from Fractalkine

Receptor . at AA range: 120-200

**Specificity** Fractalkine Receptor Polyclonal Antibody detects

endogenous levels of Fractalkine Receptor protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name CX3C chemokine receptor 1

Gene Name CX3CR1

Cellular localizationCell membrane ; Multi-pass membrane protein .PurificationThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

and scrain by anning chromatograph

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 40kD
Human Gene ID 1524
Human Swiss-Prot Number P49238

Alternative Names CX3CR1; CMKBRL1; GPR13; CX3C chemokine

receptor 1; C-X3-C CKR-1; CX3CR1; Beta chemokine receptor-like 1; CMK-BRL-1; CMK-BRL1; Fractalkine receptor; G-protein coupled receptor 13; V28


**Background** Fractalkine is a transmembrane protein and

chemokine involved in the adhesion and migration of leukocytes. The protein encoded by this gene is a receptor for fractalkine. The encoded protein also is a coreceptor for HIV-1, and some variations in this

+86-27-59760950 ELKbio@ELKbiotech.com



gene lead to increased susceptibility to HIV-1 infection and rapid progression to AIDS. Four transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Jan 2010],



Western Blot analysis of U87 cells using Fractalkine Receptor Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100





Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100



+86-27-59760950