

GCNT7 rabbit pAb

Cat No.:ES4825

For research use only

Overview

| Product Name | GCNT7 rabbit pAb | |
|--------------------------|---|---|
| Host species | Rabbit | |
| Applications | WB;IHC;IF;ELISA | |
| Species Cross-Reactivity | Human;Rat;Mouse; | |
| Recommended dilutions | Western Blot: 1/500 - 1/2000. | |
| | Immunohistochemistry: 1/100 - 1/300. | |
| | Immunofluorescence: 1/200 - 1/1000. ELISA: | |
| | 1/40000. Not yet tested in other applications. | |
| Immunogen | The antiserum was produced against synthesized | |
| C | peptide derived from human GCNT7. AA | |
| | range:311-360 | |
| Specificity | GCNT7 Polyclonal Antibody detects endogenous | |
| | levels of GCNT7 protein. | |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and | |
| | 0.02% sodium azide. | |
| Storage | Store at -20°C. Avoid repeated freeze-thaw cycles. | |
| Protein Name | Beta-1,3-galactosyl-O-glycosyl-glycoprotein | |
| | beta-1,6-N-acetylglucosaminyltransferase 7 | |
| Gene Name | GCNT7 | |
| Cellular localization | Golgi apparatus membrane ; Single-pass type II | |
| | membrane protein . | |
| Purification | The antibody was affinity-purified from rabbit | |
| | antiserum by affinity-chromatography using | |
| | epitope-specific immunogen. | |
| Clonality | Polyclonal | |
| Concentration | 1 mg/ml | |
| Observed band | 49kD | |
| Human Gene ID | 140687 | |
| Human Swiss-Prot Number | Q6ZNIO | ll. |
| Alternative Names | GCNT7; C20orf105; Beta-1; | |
| | 3-galactosyl-O-glycosyl-glycoprotein | |
| | beta-1,6-N-acetylglucosaminyltransferase 7 | |
| Background | function:Glycosyltransferase.,pathway:Protein | |
| - | | /////////////////////////////////////// |



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C




modification; protein glycosylation., sequence caution: Translated as Gln., similarity: Belongs to the glycosyltransferase 14 family.,

Immunofluorescence analysis of MCF7 cells, using GCNT7 Antibody. The picture on the right is blocked with the synthesized peptide.







Western blot analysis of lysates from K562 cells, using GCNT7 Antibody. The lane on the right is blocked with the synthesized peptide.




+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Western blot analysis of the lysates from HT-29 cells using GCNT7 antibody.



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C