

Olfactory receptor 51B5 rabbit pAb

Cat No.:ES5576

For research use only

Overview

Product Name Olfactory receptor 51B5 rabbit pAb

Host species Rabbit
Applications WB;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunofluorescence:

1/200 - 1/1000. ELISA: 1/20000. Not yet tested in

other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human OR51B5. AA

range:200-249

Specificity Olfactory receptor 51B5 Polyclonal Antibody detects

endogenous levels of Olfactory receptor 51B5

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Olfactory receptor 51B5

Gene Name OR51B5

Cellular localizationCell membrane; Multi-pass membrane protein.PurificationThe antibody was affinity-purified from rabbit
antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 35kD
Human Gene ID 282763
Human Swiss-Prot Number Q9H339

Alternative Names OR51B5; Olfactory receptor 51B5; Odorant receptor

HOR5'beta5; Olfactory receptor OR11-37

Background Olfactory receptors interact with odorant molecules

in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of





+86-27-59760950 ELKbio@ELKbiotech.com www.e




G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],

Immunofluorescence analysis of LOVO cells, using OR51B5 Antibody. The picture on the right is blocked with the synthesized peptide.






Western blot analysis of lysates from LOVO cells, using OR51B5 Antibody. The lane on the right is blocked with the synthesized peptide.



+86-27-59760950







Western blot analysis of the lysates from HepG2 cells using OR51B5 antibody.

