

## EphA10 rabbit pAb

## Cat No.:ES5601

For research use only

## Overview

Product Name	EphA10 rabbit pAb	
Host species	Rabbit	
Applications	WB;ELISA	
Species Cross-Reactivity	Human; Mouse	
Recommended dilutions	Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.	
Immunogen	The antiserum was produced against synthesized peptide derived from human EPHA10. AA range:431-480	
Specificity	EphA10 Polyclonal Antibody detects endogenous levels of EphA10 protein.	
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.	
Storage	Store at -20 $^\circ\!{ m C}$ . Avoid repeated freeze-thaw cycles.	
Protein Name	Ephrin type-A receptor 10	
Gene Name	EPHA10	
Cellular localization	[Isoform 1]: Cell membrane ; Single-pass type I membrane protein .; [Isoform 3]: Cell membrane ; Single-pass type I membrane protein .; [Isoform 2]: Secreted .	
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.	
Clonality	Polyclonal	
Concentration	1 mg/ml	
Observed band	110kD	
Human Gene ID	284656	
Human Swiss-Prot Number	Q5JZY3	
Alternative Names	EPHA10; Ephrin type-A receptor 10	
Background	Ephrin receptors, the largest subfamily of receptor tyrosine kinases (RTKs), and their ephrin ligands are important mediators of cell-cell communication regulating cell attachment, shape, and mobility in	



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



neuronal and epithelial cells (Aasheim et al., 2005 [PubMed 15777695]). See MIM 179610 for additional background on Eph receptors and ephrins.[supplied by OMIM, Mar 2008],



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C