

MAP-4 rabbit pAb

Cat No.:ES6171

For research use only

Overview

Product Name	MAP-4 rabbit pAb	
Host species	Rabbit	
Applications	IHC;IF;ELISA	
Species Cross-Reactivity	Human; Mouse; Rat	
Recommended dilutions	Immunohistochemistry: 1/100 - 1/300.	
	Immunofluorescence: 1/200 - 1/1000. ELISA:	
	1/5000. Not yet tested in other applications.	
Immunogen	The antiserum was produced against synthesized	
-	peptide derived from human MAP4. AA	
	range:662-711	
Specificity	MAP-4 Polyclonal Antibody detects endogenous	
. ,	levels of MAP-4 protein.	
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and	
	0.02% sodium azide.	
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.	
Protein Name	Microtubule-associated protein 4	
Gene Name	MAP4	
Cellular localization	Cytoplasm, cytoskeleton . Cytoplasm, cytoskeleton,	
	microtubule organizing center . Recruitment to	
	microtubule is inhibited by microtubules	
	polyglutamylation.	
Purification	The antibody was affinity-purified from rabbit	
	antiserum by affinity-chromatography using	
	epitope-specific immunogen.	
Clonality	Polyclonal	
Concentration	1 mg/ml	
Observed band		
Human Gene ID	4134	
Human Swiss-Prot Number	P27816	
Alternative Names	MAP4; Microtubule-associated protein 4; MAP-4	
Background	The protein encoded by this gene is a major	
	non-neuronal microtubule-associated protein. This	
	protein contains a domain similar to the	
	•	



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



microtubule-binding domains of neuronal microtubule-associated protein (MAP2) and microtubule-associated protein tau (MAPT/TAU). This protein promotes microtubule assembly, and has been shown to counteract destabilization of interphase microtubule catastrophe promotion. Cyclin B was found to interact with this protein, which targets cell division cycle 2 (CDC2) kinase to microtubules. The phosphorylation of this protein affects microtubule properties and cell cycle progression. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Aug 2008],

Immunofluorescence analysis of HeLa cells, using MAP4 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using MAP4 Antibody. The picture on the right is blocked with the synthesized peptide.





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C