

## MEK Kinase-1 (phospho Thr1402) rabbit pAb

**Cat No.: ES6228** 

For research use only

## Overview

Product Name MEK Kinase-1 (phospho Thr1402) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

**Recommended dilutions** Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications. The antiserum was produced against synthesize

Immunogen The antiserum was produced against synthesized

peptide derived from human MAP3K1 around the

phosphorylation site of Thr1402. AA

range:1368-1417

Specificity Phospho-MEK Kinase-1 (T1402) Polyclonal Antibody

detects endogenous levels of MEK Kinase-1 protein

only when phosphorylated at T1402.

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Mitogen-activated protein kinase kinase 1

Gene Name MAP3K1

Cellular localization cytoplasm, cytosol,

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 160kD
Human Gene ID 4214
Human Swiss-Prot Number Q13233

Alternative Names MAP3K1; MAPKKK1; MEKK; MEKK1;

Mitogen-activated protein kinase kinase kinase 1; MAPK/ERK kinase kinase 1; MEK kinase 1; MEKK 1


Background The protein encoded by this gene is a

+86-27-59760950 ELKbio@ELKbiotech.com www.elkbiotech.com






serine/threonine kinase and is part of some signal transduction cascades, including the ERK and JNK kinase pathways as well as the NF-kappa-B pathway. The encoded protein is activated by autophosphorylation and requires magnesium as a cofactor in phosphorylating other proteins. This protein has E3 ligase activity conferred by a plant homeodomain (PHD) in its N-terminus and phospho-kinase activity conferred by a kinase domain in its C-terminus. [provided by RefSeq, Mar 2012],



Western Blot analysis of NIH-3T3 cells using Phospho-MEK Kinase-1 (T1402) Polyclonal Antibody diluted at 1:2000




+86-27-59760950


Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using MAP3K1 (Phospho-Thr1402) Antibody







Immunohistochemistry analysis of paraffin-embedded human brain, using MAP3K1 (Phospho-Thr1402) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from Jurkat cells, using MAP3K1 (Phospho-Thr1402) Antibody. The lane on the right is blocked with the phospho peptide.

