

## NDUFS5 rabbit pAb

## Cat No.:ES6351

For research use only

## Overview

Product Name	NDUFS5 rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
<b>Recommended dilutions</b>	Western Blot: 1/500 - 1/2000.
	Immunohistochemistry: 1/100 - 1/300. ELISA:
	1/40000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
	peptide derived from human NDUFS5. AA
	range:57-106
Specificity	NDUFS5 Polyclonal Antibody detects endogenous
	levels of NDUFS5 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	NADH dehydrogenase [ubiquinone] iron-sulfur
	protein 5
Gene Name	NDUFS5
<b>Cellular localization</b>	Mitochondrion inner membrane ; Peripheral
	membrane protein . Mitochondrion intermembrane
	space.
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	15kD
Human Gene ID	4725
Human Swiss-Prot Number	O43920
Alternative Names	NDUFS5; NADH dehydrogenase [ubiquinone]
	iron-sulfur protein 5; Complex I-15 kDa; CI-15 kDa;
	NADH-ubiquinone oxidoreductase 15 kDa subunit
Background	This gene is a member of the NADH dehydrogenase



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



(ubiquinone) iron-sulfur protein family. The encoded protein is a subunit of the NADH:ubiquinone oxidoreductase (complex I), the first enzyme complex in the electron transport chain located in the inner mitochondrial membrane. Alternative splicing results in multiple transcript variants and pseudogenes have been identified on chromosomes 1, 4 and 17. [provided by RefSeq, May 2010],

Immunohistochemistry analysis of paraffin-embedded human heart, using NDUFS5 Antibody. The picture on the right is blocked with the synthesized peptide.





Western blot analysis of lysates from SH-SY5Y cells, primary antibody was diluted at 1:1000, 4°over night



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C