

## 14-3-3 θ/τ (phospho Ser232) rabbit pAb

## Cat No.:ES6621

For research use only

## Overview

Product Name	14-3-3 θ/τ (phospho Ser232) rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human; Mouse; Rat
<b>Recommended dilutions</b>	Western Blot: 1/500 - 1/2000.
	Immunohistochemistry: 1/100 - 1/300.
	Immunofluorescence: 1/200 - 1/1000. ELISA:
	1/5000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
	peptide derived from human 14-3-3 thet/tau around
	the phosphorylation site of Ser232. AA
	range:196-245
Specificity	Phospho-14-3-3 θ/τ (S232) Polyclonal Antibody
	detects endogenous levels of 14-3-3 θ/τ protein only
	when phosphorylated at S232.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	14-3-3 protein theta
Gene Name	YWHAQ
Cellular localization	Cytoplasm. In neurons, axonally transported to the
	nerve terminals.
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	28kD
Human Gene ID	5350
Human Swiss-Prot Number	P27348
Alternative Names	YWHAQ; 14-3-3 protein theta; 14-3-3 protein T-cell;
	14-3-3 protein tau; Protein HS1
Background	This gene product belongs to the 14-3-3 family of



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



proteins which mediate signal transduction by binding to phosphoserine-containing proteins. This highly conserved protein family is found in both plants and mammals, and this protein is 99% identical to the mouse and rat orthologs. This gene is upregulated in patients with amyotrophic lateral sclerosis. It contains in its 5' UTR a 6 bp tandem repeat sequence which is polymorphic, however, there is no correlation between the repeat number and the disease. [provided by RefSeq, Jul 2008],

Immunofluorescence analysis of Hela cell. 1,14-3-3  $\theta/\tau$ (phospho Ser232) Polyclonal Antibody(green) was diluted at 1:200(4° overnight). (red) was diluted at 1:200(4° overnight). 2, Goat Anti Rabbit Alexa Fluor 488 Catalog:RS3211 was diluted at 1:1000(room



293T MOUSE-BRAIN 1738---70--55---40---35---25---25--p-14-3-3 θ/τ (5232) 15--- Western blot analysis of 293T MOUSE-BRAIN using p-14-3-3  $\theta/\tau$  (S232) antibody. Antibody was diluted at 1:500




+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C





Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using 14-3-3 thet/tau (Phospho-Ser232) Antibody

Immunofluorescence analysis of HeLa cells, using 14-3-3 thet/tau (Phospho-Ser232) Antibody. The picture on the right is blocked with the phospho peptide.





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C