

Syndecan-2 rabbit pAb

Cat No.: ES7135

For research use only

Overview

Product Name Syndecan-2 rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human;Rat;Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not

yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human SDC2. AA range:81-130

Specificity Syndecan-2 Polyclonal Antibody detects endogenous

levels of Syndecan-2 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20° C. Avoid repeated freeze-thaw cycles.

Protein Name Syndecan-2

Gene Name SDC2

Cellular localizationMembrane; Single-pass type I membrane protein.PurificationThe antibody was affinity-purified from rabbit
antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 22kD
Human Gene ID 6383
Human Swiss-Prot Number P34741

Alternative Names SDC2; HSPG1; Syndecan-2; SYND2; Fibroglycan;

Heparan sulfate proteoglycan core protein; HSPG;

CD antigen CD362

Background The protein encoded by this gene is a

transmembrane (type I) heparan sulfate

proteoglycan and is a member of the syndecan proteoglycan family. The syndecans mediate cell binding, cell signaling, and cytoskeletal organization

and syndecan receptors are required for



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



internalization of the HIV-1 tat protein. The syndecan-2 protein functions as an integral membrane protein and participates in cell proliferation, cell migration and cell-matrix interactions via its receptor for extracellular matrix proteins. Altered syndecan-2 expression has been detected in several different tumor types. [provided by RefSeq, Jul 2008],



+86-27-59760950