

## Artn rabbit pAb

**Cat No.:ES8722** 

For research use only

## Overview

Product Name Artn rabbit pAb

Host species Rabbit

Applications IHC;IF;ELISA

**Species Cross-Reactivity** Human;Rat;Mouse;

**Recommended dilutions** IHC-p 1:50-200, ELISA 1:10000-20000

**Immunogen** Synthetic peptide from human protein at AA range:

101-150

**Specificity** The antibody detects endogenous Artn

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Artemin (Enovin) (Neublastin)

**Gene Name** ARTN EVN **Cellular localization** Secreted .

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml

**Observed band** 

Human Gene ID 9048 Human Swiss-Prot Number Q5T4W7

Alternative Names Artemin (Enovin; Neublastin)

**Background** This gene encodes a secreted ligand of the glial cell

line-derived neurotrophic factor (GDNF) subfamily and TGF-beta (transforming growth factor-beta) superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors

that regulate gene expression. The encoded preproprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer. This protein signals through the RET




+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com




receptor and GFR alpha 3 coreceptor, and supports the survival of a number of peripheral neuron populations and at least one population of dopaminergic CNS neurons. This protein has also been shown to promote tumor growth, metastasis, and drug resistance in mammary carcinoma. [provided by RefSeq, Aug 2016],


Immunohistochemical analysis of paraffin-embedded human-heart, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-heart, antibody was diluted at 1:200




Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200



+86-27-59760950







Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200



+86-27-59760950