

## Recombinant Rat IL-2 (C-6His)

Catalog #	EPT090
Expression Host	Human Cells
DESCRIPTION	Recombinant Rat Interleukin-2 is produced by our
	Mammalian expression system and the target gene
	encoding Ala21-Gln155 is expressed with a 6His tag at
	the C-terminus.
Accession	P17108
Synonyms	Interleukin-2; IL-2; T-cell growth factor; TCGF;
	Aldesleukin; IL2
Mol Mass	16.3 KDa
AP Mol Mass	14-16 KDa, reducing conditions
Purity	Greater than 95% as determined by reducing
	SDS-PAGE.
Endotoxin	Less than 0.1 ng/ $\mu$ g (1 EU/ $\mu$ g) as determined by LAL
	test.
FORMULATION	Supplied as a 0.2 $\mu$ m filtered solution of 5mM
	NaH <sub>2</sub> PO <sub>4</sub> , 5mM Citric
	acid, 150mM NaCl, pH 4.0.





## RECONSTITUTION

SHIPPING

The product is shipped on dry ice/polar packs. Upon receipt, store it immediately at the temperature listed below.

STORAGEStore at  $\leq$ -70°C, stable for 6 months after receipt.Store at  $\leq$ -70°C, stable for 3 months under sterile<br/>conditions after opening.

Please minimize freeze-thaw cycles.

**BACKGROUND** Interleukin-2(IL-2)is a O-glycosylated four  $\alpha$  -helix bundle cytokine that has potent stimulatory activity for antigenactivated T cells. It is expressed by CD4+ and CD8+ T cells,  $\gamma\delta$  T cells, B cells, dendritic cells, and eosinophils. Mature rat IL-2 shares 66% and 73% amino acid sequence identity with human and mouse IL-2,respectively. The receptor for IL-2 consists of three subunits that are present on the cell surface in varying preformed complexes. IL-2 is a powerful immunoregulatory lymphokine produced by T-cells in response to antigenic or mitogenic stimulation. IL-2/IL-2R signaling is required for T-cell proliferation and other fundamental functions that are essential for the immune response. IL-2 stimulates growth and



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



differentiation of B-cells, NK cells, lymphokine-activated killer cells, monocytes, macrophages and oligodendrocytes.



## **SDS-PAGE**



+86-27-59760950 ELKbio@ELK

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C